WiFi PhoneREAD'R User Guide

1.- Introduction
2.- Charge the WiFi PhoneREAD'R
3.- Install App onto ipad/iphone/ipod Touch/Android phone
4.- Open/close the WiFi PhoneREAD'R
5.- Connect the WiFi PhoneREAD'R to ipad/iphone/ipod Touch/Android phone
6.- WiFi PhoneREAD'R use instruction
7.- Set the SSID and code of the WiFi PhoneREAD'R
8.- Download files from the WiFi PhoneREAD'R
9.- Upload files to the WiFi PhoneREAD'R
10.- Preview files on the WiFi PhoneREAD'R
11.- Factory reset

1.0- Introduction

<Items attached in package>
--- One WiFi PhoneREAD'R (host)
--- One USB charging line
--- One User Manual

<Factory set>
SSID: WiFi Storage*******
Code：88888888
Note: Factory has set a separated SSID for each WiFi PhoneREAD'R and you can also reset SSID and code (please refer to Item 7)
Device





Device specification
Device size: length83MM*width50MM*thickness19.5MM
Capacity: 1,200mAh
Charging current: 800mAh
Input voltage: 5V
Transfer speed: 150Mbps
Transfer distance: 30 Yards
Micro power supply connector

2.0- Charge the WiFi PhoneREAD'R

Charge the WiFi PhoneREAD'R for 4 hours before use and 2 hours after use when turned off.

Connect the WiFi PhoneREAD'R to computer USB connector or USB charger.

The display shows a red light when charging. It shows a blue light when it is fully charged. When the low power shows red light, it means the WiFi PhoneREAD'R is in low power and needs charging immediately.

3.0-Install the WiFi PhoneREAD'R App onto Ipad/Iphone/Ipod Touch/ Android Phone

Please search "Wi-Fi media reader" in Apple App Store and install it into ipad/iphone/ipod Touch

WiFi media reader

4.0- Open/Close the WiFi PhoneREAD'R

Switch display light

Keep lighting	Open WIFI
Fast flashing	In the data transmission
Normal flashing	WIFI is ready, ipad/iphone/ipod Touch has been connected
Slow flashing	WIFI is ready, ipad/iphone/ipod Touch has not been connected
Close	Close or low power

5.0- Connect the WiFi PhoneREAD'R to Ipad/Iphone/Ipod Touch/Android Phone

Open setting. Start the WiFi PhoneREAD'R and please wait for 30 second when indicator turns blue now the WiFi PhoneREAD'R is opening. The WiFi PhoneREAD'R is ready when indicator turns normal flashing. Open your WIFI in iphone/ipad and input code: 88888888 in your WiFi PhoneREAD'R SSID



6.0- WiFi PhoneREAD'R Instruction

The WiFi PhoneREAD'R App will not be updated regularly therefore using method may have a few changes.

1.Interface


Local
Local file
Files downloaded from Wi-Fi CARD
Photo album
Pictures in gallery of the phone
Users can change the wireless network user name and password
Read files in SD/U disk of WiFi PhoneREAD'R via Wi-Fi

2.Preview

3.Download




Local file
MP3
MP4
Picture
Software will automatically jump to a local files
Select download saving route. Ignore it if there is none.

Picture
01.jpg
02.jpg
03.jpg
04.jpg
05.jpg
AC5A82CB-392F-4452-A40E-3A0F32F6D39D.PNG
Click“Complete” button to download selected files

02.jpg
Save


Picture
Save
01.jpg
02.jpg
03.jpg
04.jpg
05.jpg
7A5EDC16-905B-49D7-85F8-B2C134FFE639.PNG
Save to album success
90BE331D-D20D-49A6-95E0-4E8B499DB9A4.PNG
91572C0C-98CC-4D7B-BB25-D03E7FBFF4AE.JPG
95951D69-F2F7-405E-AEC6-3A8727B56C89.PNG
962D59B5-7FD5-4ED8-9F24-3019BE2E9669.PNG
A5AAB3D3-A75A-40E5-94FF-52A02DD347E5.PNG
A826F06D-493E-4C98-872F-CB3807D74376.PNG
upload(9)
Delete(9)
Save to album(9)
Create folder
Downloaded pictures can also be saved in gallery for backup, click“Edit” button and select pictures need backup and then click “Save to Gallery”

4.Upload


Local
Local file
Photo album
Upload, users can upload pictures in iPhone/iPad to SD/Udisk in the WiFi PhoneREAD'R


new1
Done
1. Click "Edit" button
2. Select pictures that need uploading
3. Then click "Upload" button again
upload(6)



5.Customize SSID and Code of the WiFi PhoneREAD'R



Restore Factory Reset

Users need to use needle to press the “Reset” button and wait for 30 seconds when the power is on if factory reset is needed. If the reset is succeeded, the power indicator will be on 8 seconds and then slow flashing.